



17th St. & Constitution Avenue N.W.
Washington, D.C. 20006
United States of America

Organization of American States

P. 202.458.3000
www.oas.org

INTER-AMERICAN DRUG ABUSE CONTROL COMMISSION **C I C A D**

Secretariat for Multidimensional Security

FIFTY-SEVENTH REGULAR SESSION

April 29 - May 1, 2015
Washington, D.C.

OEA/Ser.L/XIV.2.57
CICAD/doc.2179/15
29 April 2015
Original: Español

**DRUG USE IN THE AMERICAS
FRANCISCO CUMSILLE, CICAD**

LVII CICAD Regular Session

DRUG USE IN THE AMERICAS

**FRANCISCO CUMSILLE, Dr. P.H.
Coordinator of the OID
CICAD/SSM/OEA**

April 29 - Mayo 1, 2015- Washington DC



**Organización de los
Estados Americanos**



- Acknowledgements:

- The National Observatories on Drugs and related entities.

Without whose work, we would not be able to provide the panorama that we have today.



Purpose

- Purpose: Develop an analysis of the state of the drug problem in the hemisphere utilizing the latest information available (primarily between 2012 and 2014), with emphasis on trends over time, and wherever possible, implications for drug policy.




Principal Themes

- What the report tells us
 - Drug use among minors
 - Relationship between drug use and indicators on supply control
 - Trends in drug use
 - New trends and concerns

Introduction

From the OAS Report:





Organización de los
Estados Americanos



REVIEW OF SOME DATA

REPORT

Past month prevalence of alcohol use among Secondary school students




Organización de los Estados Americanos



Past month prevalence of alcohol among 8th graders




Organización de los
Estados Americanos



“Binge drinking” (among past month users)



Organización de los
Estados Americanos




Binge drinking=5 drinks in a single occasion during the 2 weeks prior to the survey

Implications for selective and indicated intervention???

1 out of 2 past month users

Countries
with low
prevalence


Countries
with high
prevalence



Trends in past month alcohol use, secondary school students




Organización de los
Estados Americanos



Past month prevalence among secondary school students, Caribbean




Organización de los Estados Americanos



Trends in past month tobacco use, secondary school students





Organización de los
Estados Americanos



Marijuana—Past year prevalence, secondary school students




Organización de los
Estados Americanos



Past year prevalence of marijuana use secondary schools, by sex, according to sub-region.



Organización de los Estados Americanos




Past year prevalence of marijuana 8th graders by sub-region




Organización de los
Estados Americanos

8th grade





Trends in past year marijuana, secondary schools





Comparison, past year marijuana use, Caribbean

2006 2013

30

25

20

15


10

5

0


Aumento

Disminución






Perception of risk for smoking marijuana sometimes (%) of students), Caribbean




Perception of high risk in smoking marijuana regularly (% of students), Caribbean






Past year prevalence and perception of high risk, USA, Grade 10



Source: University of Michigan, Monitoring the Future Study, 2013




Percent that considers high risk associated with marijuana use and past year prevalence, Secondary Schools, Chile, 2003-2013






Costa Rica: past year prevalence of marijuana, according to perception of high risk of using sometimes, Secondary schools




Secondary School Students: past year prevalence of marijuana use as a function of perception of easy access, multiple countries





Secondary school: past year prevalence of marijuana as a function of having been offered marihuana during the past year, multiple countries




Other thematic areas of the report



Organización de los
Estados Americanos


Past year inhalants, secondary schools





Inhalants by sex









Organización de los
Estados Americanos




Past year cocaine, secondary school












Last year cocaine, general population








Smokable cocaine:
cocaine base paste,
crack



Amphetamine type stimulants: amphetamine, methamphetamine, ecstasy-type substances, others

Last year ecstasy secondary school





Organización de los
Estados Americanos

Heroin



2004



2014



Other thematic areas of the report

- New psychoactive substances
- Pharmaceutical use without medical prescription
- Opioids and opiates



Areas of concern

- Early initiation of drug use
- Problematic use
-
-
- **Adulteration of substances.** Need more research, early warning systems and dissemination of information to the community on associated risks.



Monitoring, evaluation and analysis of the country situation

- An up-to-date analysis of health conditions and trends and of their determinants, with particular emphasis discrepancies in health risks, harms and access to services.



- First, knowledge
 - So that we may....
- Take action
 - And eventually....
- Evaluate





Organización de los
Estados Americanos

Thank you!

fcumsille@oas.org

OBSERVATORIO INTERAMERICANO
SOBRE DROGAS
CICAD-OEA