### Jamaica's Helpline Experience




UKI ATKINSON RESEARCH ANALYST NATIONAL COUNCIL ON DRUG ABUSE HEMISPHERIC HELPLINE MEETING CICAD DEMAND REDUCTION UNIT NOVEMBER 4, 2020





### **Background on NCDA**





Registration & Assignment to Regions/Parishes

### Screening & Assessment

Counselling sessions (virtual or in-person)

Referrals (if necessary)


Follow-up

### Helpline Services

### Helpline Calls 2013 - 2020

Year

Year



## Explanation of the COVID Effect

### NCDA Partners With US Embassy To Discourage Smoking And Alcohol Use During COVID-19

CORONAVIRUS JUNE 8, 2020

WRITTEN BY: PETA-GAY HODGES





DELATED



The National Council on Drug Abuse (NCDA) has partnered with the International Narcotics and Law Enforcement (INL) Section of the United States Embassy on a public education campaign aimed at highlighting the dangers of smoking and alcohol use amid the coronavirus (COVID -19).

Speaking in an interview with JIS News, NCDA Executive Director, Michael Tucker, said that the agency response to the pandemic has been bolstered by the involvement of the INL.

"We now have in rotation, on radio, some public service announcements (PSAs) that look at the negative consequences of smoking and alcohol use during COVID-19," he said.


"We are looking at how smoking will affect you; how alcohol use will impact your immune system and, in fact, make you more susceptible to catching COVID-19; and recovering successfully," he noted.

"If your immune system is compromised, then your chances of recovery are significantly lessened," he added.

Speaking against the background of the recently observed World No Tobacco Day, Mr. Tucker said that smoking is harmful and is even more lethal when combined with COVID-19.

"It attacks the lungs, reduces lung function and compromises the immune system of a smoker, making it harder to fight off the deadly virus, and places smokers at severe risk for complications," he pointed out.

Mr. Tucker told JIS News that in addition to the PSAs and a presence on social media, there are other





#### NCDA raises concern for youth exposed to tobacco smoke

LOOP NEWS CREATED : 9 MAY 2020 JAMAICA NEWS



In an effort to continue educating the public on the threat of COVID-19 to persons who smoke, drink alcohol or use narcotics, the National Council on Drug Abuse (NCDA) is zeroing in on children who are potentially exposed to second-hand tobacco smoke.

Smoking is one of the largest challenges to





#### Study in the UK

Advertisement

NCDA worried about COVID-19 stress as likely trigger for substance abuse

12:05 pm, Tue Ma

Have COVID-19 questions? Talk with our Virtual Assistant.

#### **The Gleaner**

#### Drug council calls for Jamaicans to reduce substance use during COVID

Published:Tuesday | March 31, 2020 | 1:42 PM



Executive Director of the National Council on Drug Abuse, Michael Tucker - File photo

NEXT ARTICLE >

Significant Public Education

Mass & Social Media (June – Present)



## Importance of Capturing Helpline Data


Data gathering mechanism established to determine and track sociodemographic characteristics of callers:


✓ Date of call
✓ Age & Sex of caller/client
✓ Parish of residence
✓ Drug of impact
✓ Source of helpline awareness
✓ Previous drug treatment

### **Characteristics of Callers**

(June to October 2020)

Significantly more males than females






Age Range

Age Range

### **Drug of Impact**



# **Characteristics of Callers**

- 80% were aware of the helpline by radio and television direct association between spikes on calls and media placement
- ✤ 43% of callers were relatives or friends calling on problematic users' behalf
- ♦ 3% had received treatment for problematic drug use in the past

### Helpline Dynamics

Distressed family members – problematic user unwilling to address drug use

Mental health and other challenges - unwilling to seek formal treatment due to stigma

Unrealistic expectations - seeking a quick fix "magic pill" to address drug use

Approximately 50% of callers adhere to consistent treatment

Possibility of falling through the cracks

### Considerati ons for Improvemen t

**\*\*\*** 

Expansion of helpline capacity: network & 24 hr. access

Sou Cou

Counsellor as first point of contact – build therapeutic alliance and address crisis calls

m

Standard protocols and referral linkages for high-risk groups

2

Continuous capacity building of counsellors re telephone and virtual counselling



Sustain public education

Strengthen monitoring and evaluation of outcomes

# Thank You